

# Fabric overview

product sheet




VINCENT  
SHEPPARD

## Soft seating

From snuggling away between soft pillows to enjoying a dinner party on a lovely dining chair with seat cushion. Comfortable cushions take your seating experience to the next level.

Nearly all our cushion covers are removable which make them look brand-new after a wash. Depending on the cushion material, there are different washing instructions to keep in mind.



## Indoor



**GENEVA MOON WHITE**  
Page 4




**GENEVA GREY**  
Page 4



**GENEVA SANDSTONE**  
Page 4



**GENEVA HAVANA**  
Page 4




**BLACK**  
Page 5




**CHESTNUT**  
Page 6

## Indoor and outdoor



**BLUSH**  
Page 7



**CANVAS**  
Page 7



**MINERAL BLUE**  
Page 7



**LIN**  
Page 7




**LONDON STONE**  
Page 7



**OLIVE GREEN**  
Page 7




**DARK SMOKE**  
Page 7




**BLACK**  
Page 7




**AMBER**  
Page 8




**CARBON BEIGE**  
Page 9




**MUSTARD**  
Page 12



**SAVANE COCONUT**  
Page 10



**SAVANE ZINC**  
Page 10



**CORAL**  
Page 12




**ALMOND**  
Page 13



**STONE**  
Page 16



**FIG GREEN**  
Page 14




**PINE GREEN**  
Page 14



**BLACK BOUCLÉ**  
Page 15




**LIME WHITE BOUCLÉ**  
Page 15




**SIENNA**  
Page 17



**SANTAL**  
Page 18



**NEGRONI**  
Page 11




**BURNT ORANGE**  
Page 23




**FEZ OCHRE**  
Page 19




**FEZ RUST**  
Page 19



**FEZ GREEN**  
Page 19



**RABAT OCHRE**  
Page 20



**RABAT RUST**  
Page 20



**RABAT GREEN**  
Page 20



**SAFFRON**  
Page 21



**EMERALD**  
Page 22



Geneva Moon White

G0101



Performance

Martindale

20.000

Composition

100% cotton

Finish

Water repellent & stain proof

Weight

330 g/m<sup>2</sup>

Width

140 cm

Colour fastness uv indoor

Class 4-5

Colour fastness weather outdoor

N/A

Colour fastness 30°C washing

Class 5

Colour fastness dry friction

Class 3-4

Colour fastness wet friction

Class 2-3

Colours in this collection



GENEVA MOON WHITE  
G0101




GENEVA GREY  
G0404



GENEVA SANDSTONE  
G0202



GENEVA HAVANA  
G0606



Black

V0202



CIGARETTE TEST PN EN 1021-1-2014-12



Performance

Martindale

300.000

Composition

65% polyurethane - 21% polyester - 14% cotton

Finish

PERMABLOK® advanced vinyl protection

Weight

650 g/m²

Width

137 cm

Colour fastness uv indoor

Class 4

Colour fastness weather outdoor

N/A

Colour fastness 40°C washing

Class 5

Colour fastness dry friction

Class 4


Colour fastness wet friction

Class 4

Colours in this collection



BLACK  
V0202



Chestnut

V1313



CIGARETTE TEST PN EN 1021-1-2014-12



Performance

Martindale

50.000

Composition

65% polyurethane - 21% polyester - 14% cotton

Finish

PERMABLOK® advanced vinyl protection

Weight

480 g/m²

Width

137 cm

Colour fastness uv indoor

Class 4

Colour fastness weather outdoor

N/A

Colour fastness 40°C washing

Class 5

Colour fastness dry friction

Class 4

Colour fastness wet friction

Class 4

Colours in this collection



CHESTNUT  
V1313



## Olive Green

S2727



## Performance

### Martindale

25.000

### Composition

100% Sunbrella Acrylic

### Finish

Water repellent &amp; stain proof

### Weight

260 g/m<sup>2</sup>

### Width

137 cm

### Colour fastness uv indoor

Class 8

### Colour fastness weather outdoor

Class 4-5

### Colour fastness 40°C washing

Class 5


### Colour fastness dry friction

Class 5

### Colour fastness wet friction

Class 5


## Colours in this collection



**BLUSH**  
S2929



**CANVAS**  
S0606



**MINERAL BLUE**  
S1010




**LIN**  
S1212



**LONDON STONE**  
S0808




**DARK SMOKE**  
S0909



**BLACK**  
S1515



**OLIVE GREEN**  
S2727



Amber  
S3838




Performance


- Martindale**  
10.000
- Composition**  
100% Sunbrella Acrylic
- Finish**  
Water repellent & stain proof
- Weight**  
275 g/m²
- Width**  
140 cm

- Colour fastness uv indoor**  
Class 8
- Colour fastness weather outdoor**  
Class 4-5
- Colour fastness 40°C washing**  
Class 5
- Colour fastness dry friction**  
Class 5
- Colour fastness wet friction**  
Class 5

Colours in this collection



AMBER  
S3838



## Carbon Beige

S2828



## Performance

### Martindale

25.000

### Composition

100% Sunbrella Acrylic

### Finish

Water repellent & stain proof

### Weight

275 g/m<sup>2</sup>

### Width

140 cm

### Colour fastness uv indoor

Class 8

### Colour fastness weather outdoor

Class 4-5

### Colour fastness 40°C washing

Class 5


### Colour fastness dry friction

Class 5

### Colour fastness wet friction


Class 5

## Colours in this collection



**CARBON BEIGE**

S2828



## Savane Coconut

S2222



## Performance

### Martindale

35.000

### Composition

100% Sunbrella Acrylic

### Finish

Water repellent &amp; stain proof

### Weight

400 g/m<sup>2</sup>

### Width

140 cm

### Colour fastness uv indoor

Class 8

### Colour fastness weather outdoor

Class 4-5

### Colour fastness 40°C washing

Class 5


### Colour fastness dry friction

Class 5


### Colour fastness wet friction

Class 5


## Colours in this collection



**SAVANE COCONUT**  
S2222



**SAVANE ZINC**  
S2121



## Negroni

P0808



BS EN 1021.1 : 2006 CIGARETTE TEST  
BS EN 1021.2 : 2006 BUTANE FLAME TEST  
IMO PART 8  
TB 117 NPFA 260 CLASSE 1  
UNI 8456 (1987) – CLASS 1 – ITALIAN FIRE SAFETY CLASSIFICATION

## Performance

### Martindale

60.000

### Composition

100% polyolefin

### Finish

Water repellent - stain proof - fire retardant

### Weight

465 g/m<sup>2</sup>

### Width

140 cm

### Colour fastness uv indoor

Class 6-7

### Colour fastness weather outdoor

Class 7

### Colour fastness 40°C washing

Class 5


### Colour fastness dry friction

Class 4

### Colour fastness wet friction


Class 4

## Colours in this collection



**NEGRONI**

P0808



## Coral

P0404



BS EN 1021.1 : 2006 CIGARETTE TEST  
BS EN 1021.2 : 2006 BUTANE FLAME TEST  
IMO PART 8  
TB 117 NPFA 260 CLASSE 1  
UNI 8456 ( 1987 ) – CLASS 1 – ITALIAN FIRE SAFETY CLASSIFICATION

## Performance

### Martindale

25.000

### Composition

57% polyolefin - 43% polyester

### Finish

### Weight

350 g/m<sup>2</sup>

### Width

140 cm

### Colour fastness uv indoor

Class 6-7

### Colour fastness weather outdoor

Class 7

### Colour fastness 40°C washing

Class 5


### Colour fastness dry friction

Class 4-5


### Colour fastness wet friction

Class 4


## Colours in this collection



**CORAL**  
P0404



**MUSTARD**  
P0505



Almond

P0303



AVAILABLE WITH FIRE RETARDANT COATING ON DEMAND

BS EN 10211: 2006 CIGARETTE TEST + CA117 (2013)

Performance

Martindale

35.000

Composition

100% polypropylene

Finish

Water repellent

Weight

400 g/m<sup>2</sup>

Width

155 cm

Colour fastness uv indoor

Class 8

Colour fastness weather outdoor

Class 4-5

Colour fastness 40°C washing

Class 5

Colour fastness dry friction

Class 5

Colour fastness wet friction

Class 4-5

Colours in this collection



ALMOND

P0303



## Fig Green

M0303



BS2543:2004 GENERAL DOMESTIC USE AND OUTDOOR  
BS5852 FIRE RETARDANT



## Performance

### Martindale

30.000

### Composition

100% polypropylene

### Finish

Easycare Outdoor

### Weight

739 g/m<sup>2</sup>

### Width

140 cm

### Colour fastness uv indoor

Class 7-8

### Colour fastness weather outdoor

Class 4-5

### Colour fastness 40°C washing

Class 5

### Colour fastness dry friction

Class 3-4


### Colour fastness wet friction

Class 4

## Colours in this collection



**FIG GREEN**  
M0303



**PINE GREEN**  
M0202



## Lime White Bouclé

M0101



NO WATER-REPELLENT COATING  
BS2543:2004 GENERAL DOMESTIC USE AND OUTDOOR  
BS5852 FIRE RETARDANT



## Performance

### Martindale

30.000

### Composition

100% polypropylene

### Finish

Easycare Outdoor

### Weight

739 g/m<sup>2</sup>

### Width

140 cm

### Colour fastness uv indoor

Class 7

### Colour fastness weather outdoor

Class 4-5

### Colour fastness 40°C washing

Class 5

### Colour fastness dry friction

Class 3-4

### Colour fastness wet friction

Class 4


## Colours in this collection



**LIME WHITE BOUCLÉ**  
M0101



**BLACK BOUCLÉ**  
M0404



Stone

T0202



Performance

Martindale

28.000

Composition

100% solution dyed acrylic

Finish

Water repellent & stain proof (Teflon Extreme finishing)

Weight

530 g/m<sup>2</sup>

Width

140 cm

Colour fastness uv indoor

Class 8

Colour fastness weather outdoor

Class 4-5

Colour fastness 40°C washing

Class 5

Colour fastness dry friction

Class 5

Colour fastness wet friction


Class 4-5

Colours in this collection



STONE

T0202



## Sienna

M0505



NO WATER-REPELLENT COATING  
BS2543:1995 GENERAL DOMESTIC USE AND OUTDOOR  
CALIFORNIA TECHNICAL BULLETIN 117



## Performance

### Martindale

35.000

### Composition

100% polyolefin

### Finish

Easycare Outdoor

### Weight

739 g/m<sup>2</sup>

### Width

140 cm

### Colour fastness uv indoor

Class 7

### Colour fastness weather outdoor

Class 4-5

### Colour fastness 40°C washing

Class 5


### Colour fastness dry friction

Class 3-4

### Colour fastness wet friction

Class 4

## Colours in this collection



**SIENNA**  
M0505



Santal

M0606



NO WATER-REPELLENT COATING  
BS2543:1995 GENERAL DOMESTIC USE AND OUTDOOR  
CALIFORNIA TECHNICAL BULLETIN 117

Performance

Martindale

35.000

Composition

100% polypropylene

Finish

Standard finish

Weight

753 g/m²

Width

140 cm

Colour fastness uv indoor

Class 8

Colour fastness weather outdoor

Class 4-5

Colour fastness 40°C washing

Class 5

Colour fastness dry friction

Class 3-4


Colour fastness wet friction

Class 3

Colours in this collection



SANTAL  
M0606



**FEZ OCHRE**

M1010



NO WATER-REPELLENT COATING  
BS2543:1995 GENERAL DOMESTIC USE AND OUTDOOR

**Performance**

**Martindale**

25.000

**Composition**

100% polypropylene

**Finish**

Standard finish

**Weight**

753 g/m²

**Width**

140 cm

**Colour fastness uv indoor**

Class 7

**Colour fastness weather outdoor**

Class 4-5

**Colour fastness 40°C washing**

Class 4

**Colour fastness dry friction**

Class 3-4

**Colour fastness wet friction**

Class 4

**Colours in this collection**



**FEZ OCHRE**  
M1010



**FEZ RUST**  
M1111



**FEZ GREEN**  
M1212



## Rabat Ochre

M0707



NO WATER-REPELLENT COATING  
BS2543:1995 GENERAL DOMESTIC USE AND OUTDOOR

## Performance

### Martindale

25.000

### Composition

100% polypropylene

### Finish

Standard finish

### Weight

753 g/m<sup>2</sup>

### Width

140 cm

### Colour fastness uv indoor

Class 7

### Colour fastness weather outdoor

Class 4-5

### Colour fastness 40°C washing

Class 5


### Colour fastness dry friction

Class 3-4

### Colour fastness wet friction

Class 4

## Colours in this collection



**RABAT OCHRE**  
M0707



**RABAT RUST**  
M0808



**RABAT GREEN**  
M0909



Saffron

M1313



NO WATER-REPELLENT COATING  
BS2543:1995 GENERAL DOMESTIC USE AND OUTDOOR

Performance

Martindale

45.000

Composition

100% polypropylene

Finish

Standard finish

Weight

753 g/m²

Width

140 cm

Colour fastness uv indoor

Class 7

Colour fastness weather outdoor

Class 4-5

Colour fastness 40°C washing

Class 5

Colour fastness dry friction

Class 3-4

Colour fastness wet friction

Class 4

Colours in this collection



SAFFRON  
M1313



Emerald

M1515



NO WATER-REPELLENT COATING  
BS2543:1995 GENERAL DOMESTIC USE AND OUTDOOR

Performance

Martindale

30.000

Composition

100% polypropylene

Finish

Standard finish

Weight

753 g/m²

Width

140 cm

Colour fastness uv indoor

Class 7

Colour fastness weather outdoor

Class 4-5

Colour fastness 40°C washing

Class 5

Colour fastness dry friction

Class 3-4


Colour fastness wet friction

Class 4

Colours in this collection



EMERALD  
M1515



Burnt Orange

M1414



NO WATER-REPELLENT COATING  
BS2543:1995 GENERAL DOMESTIC USE AND OUTDOOR

Performance

Martindale

45.000

Composition

100% polypropylene

Finish

Standard finish

Weight

753 g/m<sup>2</sup>

Width

140 cm

Colour fastness uv indoor

Class 7

Colour fastness weather outdoor

Class 4-5

Colour fastness 40°C washing

Class 5


Colour fastness dry friction

Class 3-4

Colour fastness wet friction

Class 4

Colours in this collection



BURNT ORANGE  
M1414